



Appendix A

Thank you for trying our new,  
experimental Search & Browse Tools  
Please give us feedback!

[Home](#) [Search](#) [My Email Alerts](#) [For Institutions](#) [For Publishers](#) [About](#) [Contact](#) [Help](#)

[Sign in or register](#) for access to all HighWire customization features

**Quick search**  
[\[advanced\]](#)

**Author:**

(e.g., Smith, JS)

**Keyword(s):**

immunovariant  
(matches on all terms)



— In My Favorite Journals (what's this?)

In HighWire-hosted journals

In HighWire-hosted journals + Medline

## Search Results

1 to 8 of 8 found

RECEIVED

APR 07 2003

CH CENTER 1600/29

► **immunovariant**

Searched as:

[all words](#) | [any words](#) | [phrase](#)

In:

[Full Text](#)

Journals:

[HighWire + MEDLINE](#)

[HighWire-hosted journals](#)

► [all articles](#) | [review articles](#)

► [10](#) | [25](#) | [40](#) | [60](#) | [80](#) / page

► [best matches](#) | [newest first](#)

► [standard](#) | [condensed format](#)

▼ Instant Index of my results:

More than 8 results are necessary for a good Instant Index. You can [request an Instant Index](#) anyway.

[For checked items](#)

View abstracts

Download to citation manager

S

A

A



HA del Portillo, C Fernandez-Becerra, S Bowman, K Oliver, M Preuss, CP Sanchez, NK Schneider, JM Villalobos, MA Rajandream, D Harris, LH Pereira da Silva, B Barrell, and M Lanzer

### A superfamily of variant genes encoded in the subtelomeric region of *Plasmodium vivax*.

► [Nature, Apr 2001; 410\(6830\): 839-42.](#)

► ... genes are present at about 600-1,000 copies per haploid genome and encode proteins that are **immunovariant** in natural infections, indicating that they may have a functional role in establishing chronic infection ...

► [Abstract](#)

► [Full text](#)

► [Order Full text via Infotrieve](#)

► [Alert Me when Cited](#)

Te

Mi

Pl

Pi

Pl

Pl

Pa

Re

Re

fu



### Sexually Transmitted Infections



#### ORIGINAL ARTICLES:

C I Bandea, K Kubota, T M Brown, P H Kilmarx, V Bhullar, S Yanpaisarn, P Chaisilwattana, W Siriwasin, and C M Black

### Typing of *Chlamydia trachomatis* strains from urine

### samples by amplification and sequencing the major outer membrane protein gene (*omp1*)

► [Sex. Transm. Inf., Dec 2001; 77: 419 - 422.](#)

► ... , L 2 , and L 3 were initially recognised by polyclonal antibodies, and additional immunovariants (Ba, Da, Ia, etc), which in some publications are referred to as distinct serovars, have ...

► ... region of *omp1* from 18 laboratory reference strains representing all of the serovars and some immunovariants of *C trachomatis* was successfully amplified and sequenced using the protocol and the primers described ...

► [Journal Home](#)

► [FREE Abstract](#)

► [Full text](#)

► [PDF](#)

► [Citation Map](#)

Ct

Mi

PC

Di

OI

Ct

fu



### The EMBO Journal

A. Scherf, R. Hernandez-Rivas, P. Buffet, E. Bottius, C. Benatar, B. Pouvelle, J. Gysin, and M. Lanzer

### Antigenic variation in malaria: *in situ* switching, relaxed

► [Journal Home](#)

► [Abstract](#)

► [Full text](#)

► [PDF](#)

Ep

Cl

Mi

Pa



**and mutually exclusive transcripti n f var genes during intra-erythrocytic development in *Plasmodium falciparum***

► EMBO J., Sep 1998; 17: 5418 - 5426.

► ... Var genes play an important role in the pathogenicity of *P.falciparum* , encoding **immunovariant** adhesins (PfEMP1) that mediate binding of the host erythrocyte to the endothelial lining of the ...

► ... Thus, the mechanism of var gene switching in *P.falciparum* is fundamentally different from switching **immunovariant** genes in other pathogens ( Borst and Greaves, 1987 ; Deitsch et al ., 1997 ). ...



► [Citation Map](#)

Di  
 Pl  
→ fu



**JAMA**



**CONTEMPO UPDATES:**

Michael P. Busch, Steven H. Kleinman, and George J. Nemo

**Current and Emerging Infectious Risks of Blood Transfusions**

► JAMA, Feb 2003; 289: 959 - 962.

► ... on mathematical models that integrate data from 4 potential sources of risk: marker-negative window-phase donations, **immunovariant** viral strains not reliably detected by current serological assays, persistent antibody-negative (immunosilent) carriers, or procedural ...



► [Journal Home](#)

Sc  
 Vi  
 Hi  
 Vi  
 Cf  
 Er  
 Ce  
 Di  
 He



**EUKARYOTIC CELL**

Frédéric Bringaud, Nicolas Biteau, Sara E. Melville, Stéphanie Hez, Najib M. El-Sayed, Vanessa Leech, Matthew Berriman, Neil Hall, John E. Donelson, and Théo Baltz

**A New, Expressed Multigene Family Containing a Hot Spot for Insertion of Retroelements Is Associated with Polymorphic Subtelomeric Regions of *Trypanosoma brucei***


► Eukaryot. Cell, Feb 2002; 1: 137 - 151.

► ... Interestingly, in *Plasmodium vivax* , a large cluster of 35 vir genes and pseudogenes encoding **immunovariant** surface proteins is located directly upstream of the telomere repeats ( 20 ), exactly as ...



► [Journal Home](#)

Tr  
 Ce  
 He  
 Ps  
 Re  
 Co  
→ fu



**Clinical Microbiology Reviews**

**REVIEWS:**

P. C. Allen and R. H. Fetterer

**Recent Advances in Biology and Immunobiology of *Eimeria* Species and in Diagnosis and Control of Infection with These Coccidian Parasites of Poultry**

► Clin. Microbiol. Rev., Jan 2002; 15: 58 - 65.

► ... Immunovariant strains can be isolated and substituted to provide region-specific, autogenous vaccines ( 30 ) . ...



► [Journal Home](#)

Di  
 Pt  
 Pa  
 El  
 Ct  
 Pg  
→ fu



**The Journal of Immunology**

A Menoret, Y Patry, C Burg, and J Le Pendu

**Co-segregation of tumor immunogenicity with expression of inducible but not constitutive hsp70 in rat colon carcinomas**

► J. Immunol., Jul 1995; 155: 740 - 747.


► ... An immunovariant of REGb, designated REGR73, was obtained passaging



► [Journal Home](#)

Co  
 CI  
 In  
 Mi  
 He  
 He  
 Re  
→ fu

Article \$10 REGb cells in BDIX rats depleted of TCR-aP-bearing cells. REGR73 was ...  
 Site \$15



## The Journal of Immunology

Journal Home

Pl

PDF

Re

Fr

Fr

Pc

Pc

B

B

fu

M Wallach, R Ishay-Michaeli, D Givol, and R Laskov  
**Analysis of immunoglobulin mRNA in murine myeloma cell variants defective in the synthesis of the light or heavy polypeptide chains**

► J. Immunol., Feb 1982; 128: 684 - 690.

FREE  
Abstract  
Purchase  
access

Article \$10  
Site \$15

► ... Intracellular immunovariants. ...



For checked items



View abstracts



Download to citation manager

A

A

## 1 to 8 of 8 found

► immunovariant

► 10 | 25 | 40 | 60 | 80 / page


▼▼ Instant Index of my results:

Searched as:

More than 8 results are necessary for a good Instant Index. You can [request an Instant Index anyway](#).

[all words](#) | [any words](#) | [phrase](#)

► best matches | newest first  
► standard | condensed format



In:

[Full Text](#)

► [Rephrase My Search](#)

Journals:

► [Search History...](#)

[HighWire + MEDLINE](#)

► [About Our New Search Features](#)

[HighWire-hosted journals](#)


► [all articles](#) | [review articles](#)

[Home](#)   [Search](#)   [My Email Alerts](#)   [For Institutions](#)   [For Publishers](#)   [About](#)   [Contact](#)   [Help](#)



© 2001 - 2003 by the Board of Trustees of the Leland Stanford Junior University.

[contact](#) | [link to HighWire](#) | [privacy policy](#)



[Home](#) [Search](#) [My Email Alerts](#) [For Institutions](#) [For Publishers](#) [About](#) [Contact](#) [Help](#)

[Sign in](#) or [register](#) for access to all HighWire customization features

**Quick search**  
[advanced]

**Author:**  
(e.g., Smith, JS)

**Keyword(s):**  
immunovariant  
(matches on all terms)

**go**

— In My Favorite Journals ([what's this?](#))

In HighWire-hosted journals

In HighWire-hosted journals + Medline

## Medline Abstract

HA del Portillo, C Fernandez-Becerra, S Bowman, K Oliver, M Preuss, CP Sanchez, NK Schneider, JM Villalobos, MA Rajandream, D Harris, LH Pereira da Silva, B Barrell, and M Lanzer

**A superfamily of variant genes encoded in the subtelomeric region of Plasmodium vivax.**

► **Nature**, April 12, 2001; 410(6830): 839-42.

- [Abstract](#)
- [Full text](#)
- [Order Full text via Infotrieve](#)
- [Alert Me when Cited](#)

Departamento de Parasitologia, Instituto de Ci?ncias Biom?dicas, Universidade de S?o Paulo, Av. Lineu Prestes 1374, S?o Paulo, SP 05508-900, Brazil. hernando@icb.usp.br

The malarial parasite *Plasmodium vivax* causes disease in humans, including chronic infections and recurrent relapses, but the course of infection is rarely fatal, unlike that caused by *Plasmodium falciparum*. To investigate differences in pathogenicity between *P. vivax* and *P. falciparum*, we have compared the subtelomeric domains in the DNA of these parasites. In *P. falciparum*, subtelomeric domains are conserved and contain ordered arrays of members of multigene families, such as var, rif and stevor, encoding virulence determinants of cytoadhesion and antigenic variation. Here we identify, through the analysis of a continuous 155,711-base-pair sequence of a *P. vivax* chromosome end, a multigene family called vir, which is specific to *P. vivax*. The vir genes are present at about 600-1,000 copies per haploid genome and encode proteins that are immunovariant in natural infections, indicating that they may have a functional role in establishing chronic infection through antigenic variation.

► D  
to  
Ma  
► A  
wh  
arti  
cite  
► P  
Cite  
► R  
Arti  
Put  
► O  
tex  
Info  
► T  
arti  
bee  
by  
arti  
► P  
Full  
Link

Publication Type:

- Journal article

MeSH Terms:

- Adult
- Animal
- Antibodies, Protozoan
- Chromosomes, Artificial, Yeast
- DNA, Protozoan
- Gene Library
- Genes, Protozoan\*
- Human
- Malaria, Vivax
- Multigene Family

**SCIRUS**

for scientific information only

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

: immunovariant

[Search](#)

All journal sources  All Web sources  Exact phrase

Searched for:: :All of the words **immunovariant**:5 journal results ([ScienceDirect](#) | [MEDLINE](#) | [Beilstein](#) | [BioMed Central](#) | [SIAM](#))Found:: :[52 Web results \(All Preprints | NASA | US Patent Office\)](#)

:57 total

Sort by:: :[relevance](#) | [date](#)[Save checked results](#)[Email checked results](#)

- 1. [ARS A Poultry Parasite Strain For Use in Developing Vaccines and Immunizing Chickens patent \(0\) Harry D. Danforth / Harry D. Danforth, Dec 2002](#)  
...Institute patent at-a-glance Patent Title: Production Of An **Immunovariant** Strain Of Eimeria Maxima  
Contributes To Strain Cross-Protection...Description: ARS researchers have identified and selected an **immunovariant** strain of Eimeria maxima (E. maxima) for vaccine use. E...  
[more hits from](#) [http://www.nps.ars.usda.gov/patents/patents.htm?serial...] [similar results](#)
- 2. [Evolution and ecology, after the malaria genomes de Roode, J.C. / Read, A.F., Trends in Ecology and Evolution, Feb 2003](#)  
The first of the three genomes responsible for malaria was published last year; with the recent and much hyped publication of parasite and vector genomes in Nature and Science respectively, the life-cycle triad is now complete. The...  
**Full text article available from** [SCIENCE DIRECT](#) [similar results](#)
- 3. [Why are parasite contingency genes often associated with telomeres? Barry, J.D. / Ginger, M.L. / Burton, P. / McCulloch, R., International Journal for Parasitology, Jan 2003](#)  
Contingency genes are common in pathogenic microbes and enable, through pre-emptive mutational events, rapid, clonal switches in phenotype that are conducive to

Refine your search using these keywords found in the results:

[agricultural research service](#)  
[agricultural system](#)  
[animal production](#)  
[aquaculture](#)  
[bioenergy](#)  
[bromide](#)  
[food safety](#)  
[human nutrition](#)  
[mastitis](#)  
[nondestructive](#)  
[parasite](#)  
[parasites](#)  
[parasitic](#)  
[pest management](#)  
[rangeland](#)  
[sustainable agricultural systems](#)

Or refine using:

All of the words [refine](#)

survival and proliferation in hosts. Antigenic variation, which is a highly...

**Full text article available from**  [similar results](#)

- 4. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Sep 2002  
...Device (Ald) Flow Cytometry Nozzle For High Efficiency Cell Sorting Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[more hits from](#)  
[<http://ott.arsusda.gov/locations/locations.htm?modecod...>]  
[similar results](#)
- 5. No Title**  
Jan 2002  
ROUND TABLES (RT) RT I GENE REGULATION IN PROTOZOAN PARASITES RT I.1 Â FUNCTIONAL GENOMICS OF TRYPANOSOMA CRUZI IN CHAGAS' DISEASE Gregory A. Buck, Center for the Study of Biological Complexity, Virginia Commonwealth University, Richmond, Virginia 23284...  
[<http://www.parasitology-online.com/gejng/29/42/show/P...>]  
[similar results](#)
- 6. pbel98rept**  
May 1999  
PAGE: 5 05/07/99 ANNUAL RESEARCH PROGRESS REPORT Report of Progress (AD-421) Publications: (Continued) 08. DUBEY, J.P., THOMAZIN, K.B. and GARNER, M.M. 1998. Enteritis associated with coccidiosis in a German shepherd dog. Canine Prac. 23:5-9. 09. DUBEY, J...  
[<http://www.anri.barc.usda.gov/reports/pbel98rept.pdf>]  
[similar results](#)
- 7. Mol Biol Evol 2001 Dec;18(12):2213-24**  
Nov 2001  
Department of Chemistry and Biochemistry, Faculty of Chemistry and Chemical Technology, University of Ljubljana, Slovenia. Department of Biochemistry and Molecular Biology, Jozef Stefan Institute, Ljubljana, Slovenia  
[[http://biology.fullerton.edu/courses/biol\\_307/web/acti...](http://biology.fullerton.edu/courses/biol_307/web/acti...)]  
[similar results](#)
- 8. Cover Story) Automating nucleic acid amplification tests (IVDT archive, Nov 00)**  
Nov 2002  
...place while a donor is in the preseroconversion window phase, is infected with **immunovariant** viruses, or is a nonseroconverting chronic carrier. Direct, sensitive detection...  
[<http://www.devicelink.com/ivdt/archive/00/11/007.html>]  
[similar results](#)

9. No Title

Jan 2002

MB01- EXPRESSION OF BETA -TUBULIN MRNAS IN  
TRYPANOSOMA CRUZI: SIMILAR GENE STRUCTURES AND  
DISTINCT REGULATORY MECHANISMS Bartholomeu DC1,  
Silva RA1, GalvÃ£o LMC2, El-Sayed N3, Teixeira SMR1 1  
Departamento de BioquÃmica e Imunologia, ICB -UFMG;  
2...

[[http://www.elsevier.com/gej-  
ng/29/42/show/Products/PAR...](http://www.elsevier.com/gej-ng/29/42/show/Products/PAR...)]  
[similar results](#)

 10. A superfamily of variant genes encoded in the  
subtelomeric region of Plasmodium vivax.

H A del Portillo / C Fernandez-Becerra / S  
Bowman / K Oliver / M Preuss / C P Sanchez / N K  
Schneider / J M Villalobos / M A Rajandream / D  
Harris / L H Pereira da Silva / B Barrell / M Lanzer,  
*Nature*, Apr 2001

...present at about 600-1,000 copies per haploid genome  
and encode proteins that are **immunovariant** in natural  
infections, indicating that they may have a functional role  
in establishing...

**MEDLINE Citation on** [BioMedNet](#)  
[MEDLINE](#)

[similar results](#)

fast :::

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)]

[back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

Powered by FAST © Elsevier Science 2003

**SCIRUS**

for scientific information only

Thought about working  
in Europe?

NewScientistJobs.com

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

'immunovariant'

[Search](#) All journal sources  All Web sources  Exact phraseSearched for:: :All of the words **immunovariant****:5 journal results (ScienceDirect | MEDLINE | Beilstein | BioMed Central | SIAM)**Found:: :**52 Web results (All Preprints | NASA | US Patent Office)****:57 total**Sort by:: :[relevance](#) | [date](#)[Save checked results](#)[Email checked results](#) **11. Microbiology - Paper Alert**

**Blocker, A. / Peppler, M.S. / Normand, P. / Grimont, F. / Spitzer, E.D. / Rosenthal, K.L. / Sibley, D. / Labedan, B. / Forterre, P. / Gold, S.,**  
*Current Opinion in Microbiology*, Jun 2001

A selection of interesting papers that were published in the two months before our press date in major journals most likely to report significant results in microbiology.

**Full text article available from** [science @ DIRECT](#)  
[similar results](#)

 **12. Use of live oocyst vaccines in the control of avian coccidiosis: experimental studies and field trials**

**Danforth, H.D., International Journal for Parasitology**, Jul 1998

Areas addressed in this study on the use of live oocyst vaccines to control coccidiosis include: the influence of immunocompetency of the strains and sex of the birds used; methods of delivery of vaccine; immunological variation between...

**Full text article available from** [science @ DIRECT](#)  
[similar results](#)

 **13. ARS Beltsville Area :: Animal and Natural Resources Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of *Eimeria Maxima* Contributes To Strain Cross-Protection With Other *Eimeria*...

[<http://www.nps.ars.usda.gov/locations/locations.htm?>

Refine your search  
using these keywords  
found in the results:[agricultural system](#)[animal production](#)[aquaculture](#)[bioenergy](#)[bromide](#)[coccidiosis](#)[food safety](#)[human nutrition](#)[immunological](#)[mastitis](#)[nondestructive](#)[parasite](#)[parasitic](#)[pest management](#)[rangeland](#)[sustainable agricultural](#)[systems](#)

Or refine using:

All of the words

[refine](#)

mo...]  
similar results

**14. ARS Beltsville Area ::**

Jan 2003

...Cytometry Nozzle For High Efficiency Cell Sorting  
Repellent For Ants Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
mo...]  
similar results

**15. ARS Beltsville Area ::**

Jan 2003

...Cytometry Nozzle For High Efficiency Cell Sorting  
Repellent For Ants Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
mo...]  
similar results

**16. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL**

**RESOURCES INSTITUTE**

Dec 2002

...Specific For Avian Interferon-GAMMA Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
PROTECTION With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
mo...]  
similar results

**17. ARS Beltsville Area :: Animal and Natural Resources**

**Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
mo...]  
similar results

**18. Agricultural Research Service (USDA-ARS) National**

**Programs**

Jan 2003

...Genetic Transformation System For Insects Plum Tree  
Named 'c5' Production Of An **Immunovariant** Strain Of  
Eimeria Maxima Contributes To Strain Cross-Protection  
With Other Eimeria...  
[[http://www.nps.ars.usda.gov/menu.htm?](http://www.nps.ars.usda.gov/menu.htm?patsubject=Natura...)  
patsubject=Natura...]  
similar results

**19. Agricultural Research Service (USDA-ARS) National**

**Programs**

Jan 2003

...Genetic Transformation System For Insects Plum Tree

Named 'c5' Production Of An **Immunovariant** Strain Of  
Eimeria Maxima Contributes To Strain Cross-Protection  
With Other Eimeria...  
[[http://www.nps.ars.usda.gov/menu.htm?  
patsubject=BioBas...](http://www.nps.ars.usda.gov/menu.htm?patsubject=BioBas...)]  
[similar results](#)

**20. ARS Beltsville Area :: Animal and Natural Resources**

[Institute](#)

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)]  
[similar results](#)

**fast :::**

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)]

[back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

[Powered by FAST](#) © Elsevier Science 2003

**SCIRUS**

for scientific information only

**EventOnline.org**The Source  
for Scientific  
Event Information[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

immunovariant

 All journal sources  All Web sources  Exact phraseSearched for:: :All of the words **immunovariant****:5 journal results (ScienceDirect | MEDLINE | Beilstein | BioMed Central | SIAM)**Found:: :**52 Web results (All Preprints | NASA | US Patent Office)****:57 total**Sort by:: :**relevance | date** **21. Agricultural Research Service (USDA-ARS) National Programs**

Jan 2003

...Genetic Transformation System For Insects Plum Tree Named 'c5' Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...[[http://www.nps.ars.usda.gov/menu.htm?  
patsubject=Animal...](http://www.nps.ars.usda.gov/menu.htm?patsubject=Animal...)][similar results](#) **22. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL RESOURCES INSTITUTE**

Jan 2003

...Specific For Avian Interferon-GAMMA Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-PROTECTION With Other Eimeria...[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)][similar results](#) **23. ARS Beltsville Area :: Animal and Natural Resources Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)][similar results](#)Refine your search  
using these keywords  
found in the results:[agricultural system](#)[animal production](#)[aquaculture](#)[bioenergy](#)[bromide](#)[food safety](#)[human nutrition](#)[nondestructive](#)[parasite](#)[parasitic](#)[pest management](#)[rangeland](#)[sustainable agricultural systems](#)

Or refine using:

[All of the words](#)

- 24. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Dec 2002  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 25. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 26. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 27. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 28. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 29. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL RESOURCES INSTITUTE**  
Jan 2003  
...Specific For Avian Interferon-GAMMA Cryopreservation Of Swine Embryos Production Of An **Immunovariant**

Strain Of Eimeria Maxima Contributes To Strain Cross-  
PROTECTION With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...\]](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
[similar results](#)

**30. ARS Beltsville Area :: Animal and Natural Resources**

[Institute](#)

Sep 2002

...Device (Ald) Flow Cytometry Nozzle For High Efficiency  
Cell Sorting Production Of An **Immunovariant** Strain Of  
Eimeria Maxima Contributes To Strain Cross-Protection  
With Other Eimeria...

[[http://ott.arsusda.gov/locations/locations.htm?  
modecod...\]](http://ott.arsusda.gov/locations/locations.htm?modecod...)

[similar results](#)

fast :::

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)]

[back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

[Powered by FAST](#) © Elsevier Science 2003

**SCIRUS**

for scientific information only

**EventOnline.org**

THE SOURCE FOR SCIENTIFIC EVENT INFORMATION

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#) All journal sources  All Web sources  Exact phraseSearched for:: :All of the words **immunovariant****:5 journal results (ScienceDirect | MEDLINE | Beilstein | BioMed Central | SIAM)**Found:: :**52 Web results (All Preprints | NASA | US Patent Office)****:57 total**Sort by:: :**relevance | date** **31. ARS Beltsville Area :: Animal and Natural Resources Institute**

Sep 2002

...Device (Ald) Flow Cytometry Nozzle For High Efficiency Cell Sorting Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...[<http://ott.arsusda.gov/locations/locations.htm?modecod...>][similar results](#) **32. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL RESOURCES INSTITUTE**

Dec 2002

...Specific For Avian Interferon-GAMMA Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-PROTECTION With Other Eimeria...[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>][similar results](#) **33. ARS Beltsville Area :: Animal and Natural Resources Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>][similar results](#)Refine your search  
using these keywords  
found in the results:[agricultural system](#)[animal production](#)[aquaculture](#)[bioenergy](#)[bromide](#)[food safety](#)[human nutrition](#)[pest management](#)[rangeland](#)[sustainable agricultural systems](#)

Or refine using:

 [All of the words](#)

- 34. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 35. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 36. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 37. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Dec 2002  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 38. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)
- 39. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL RESOURCES INSTITUTE**  
Dec 2002  
...Specific For Avian Interferon-GAMMA Cryopreservation Of Swine Embryos Production Of An **Immunovariant**

Strain Of Eimeria Maxima Contributes To Strain Cross-  
PROTECTION With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...\]](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
[similar results](#)

**40. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL  
RESOURCES INSTITUTE**

Dec 2002

...Specific For Avian Interferon-GAMMA Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
PROTECTION With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...\]](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
[similar results](#)

fast :::

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)]


[back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

[Powered by FAST](#) © Elsevier Science 2003

**SCIRUS**

for scientific information only

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

immunovariant

[Search](#)

All journal sources  All Web sources  Exact phrase

Searched for:: :All of the words **immunovariant****:5 journal results (ScienceDirect | MEDLINE | Beilstein | BioMed Central | SIAM)**Found:: :**52 Web results (All Preprints | NASA | US Patent Office)****:57 total**Sort by:: :**relevance | date**[Save checked results](#)[Email checked results](#)

**41. ARS Project: Measurement Of Gut-Immunological/physiological Response To Avian Coccidiosis (401068) Annual Report**

Jan 2003

...variability in immune response in specific areas of the intestine not only between **immunovariant** strains of the same species of coccidia but also between different species of the...

[<http://www.nps.ars.usda.gov/projects/projects.htm?acce...>] [similar results](#)

**42. ARS Beltsville Area :: Animal and Natural Resources Institute**

Sep 2002

...Device (Ald) Flow Cytometry Nozzle For High Efficiency Cell Sorting Production Of An **Immunovariant** Strain Of *Eimeria Maxima* Contributes To Strain Cross-Protection With Other *Eimeria*...

[<http://ott.arsusda.gov/locations/locations.htm?modecod...>] [similar results](#)

**43. ARS Beltsville Area :: Animal and Natural Resources Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of *Eimeria Maxima* Contributes To Strain Cross-Protection With Other *Eimeria*...

[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]

Refine your search using these keywords found in the results:

[agricultural system](#)[animal production](#)[aquaculture](#)[bioenergy](#)[bromide](#)[food safety](#)[human nutrition](#)[pest management](#)[rangeland](#)[sustainable agricultural systems](#)

Or refine using:

 All of the words[refine](#)

[similar results](#)

**44. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)

**45. ARS Project: Measurement Of Gut-Immunological/physiological Response To Avian Coccidiosis (401068) Annual Report**  
Dec 2002  
...response in specific areas of the intestine at the cellular level not only between **immunovariant** strains of the same species of coccidia but also between different species of the...  
[<http://www.nps.ars.usda.gov/projects/projects.htm?acce...>]  
[similar results](#)

**46. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)

**47. ARS Beltsville Area :: Animal and Natural Resources Institute**  
Jan 2003  
...Specific For Avian Interferon-Gamma Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]  
[similar results](#)

**48. Agricultural Research Service (USDA-ARS) National Programs**  
Jan 2003  
...Named 'c5' Process For The Production Of Fatty Acid Alkyl Esters Production Of An **Immunovariant** Strain Of Eimeria Maxima Contributes To Strain Cross-Protection With Other Eimeria...  
[<http://www.nps.ars.usda.gov/menu.htm?patsubject=Crop%2...>]  
[similar results](#)

**49. ARS Beltsville Area :: Animal and Natural Resources Institute**

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...\]](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
[similar results](#)

**50. ARS Beltsville Area :: Animal and Natural Resources**

[Institute](#)

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...  
[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...\]](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)  
[similar results](#)

fast :::

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)]


[back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

[Powered by FAST © Elsevier Science 2003](#)



for scientific information only

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Website](#)[Search Tips](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)**immunovariant****Search**
 All journal sources  All Web sources  Exact phrase
Searched for:: :All of the words **immunovariant**:5 journal results ([ScienceDirect](#) | [MEDLINE](#) | [Beilstein](#) | [BioMed Central](#) | [SIAM](#))Found:: :52 Web results ([All Preprints](#) | [NASA](#) | [US Patent Office](#))

:57 total

Sort by:: :relevance | date

[Save checked results](#)[Email checked results](#)

**51. ARS Project: Measurement Of Gut-  
Immunological/physiological Response To Avian  
Coccidiosis (401068) Annual Report**

Jan 2003

...response in specific areas of the intestine at the cellular level not only between **immunovariant** strains of the same species of coccidia but also between different species of the...

[<http://www.nps.ars.usda.gov/projects/projects.htm?ACCN...>]  
[similar results](#)

**52. ARS Beltsville Area :: Animal and Natural Resources Institute**

Sep 2002

...Device (Ald) Flow Cytometry Nozzle For High Efficiency Cell Sorting Production Of An **Immunovariant** Strain Of *Eimeria Maxima* Contributes To Strain Cross-Protection With Other *Eimeria*...

[<http://ott.arsusda.gov/locations/locations.htm?modecod...>]  
[similar results](#)

**53. ARS BELTSVILLE AREA :: ANIMAL AND NATURAL RESOURCES INSTITUTE**

Dec 2002

...Specific For Avian Interferon-GAMMA Cryopreservation Of Swine Embryos Production Of An **Immunovariant** Strain Of *Eimeria Maxima* Contributes To Strain Cross-PROTECTION With Other *Eimeria*...

[<http://www.nps.ars.usda.gov/locations/locations.htm?mo...>]

Refine your search  
using these keywords  
found in the results:[agricultural system](#)[aquaculture](#)[bioenergy](#)[bromide](#)[human nutrition](#)[pest management](#)[rangeland](#)[sustainable agricultural systems](#)

Or refine using:

[All of the words](#)**refine**

similar results **54. ARS Beltsville Area :: Animal and Natural Resources**Institute

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)]

similar results **55. ARS Beltsville Area :: Animal and Natural Resources**Institute

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)]

similar results **56. ARS Beltsville Area :: Animal and Natural Resources**Institute

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)]

similar results **57. ARS Beltsville Area :: Animal and Natural Resources**Institute

Jan 2003

...Specific For Avian Interferon-Gamma Cryopreservation  
Of Swine Embryos Production Of An **Immunovariant**  
Strain Of Eimeria Maxima Contributes To Strain Cross-  
Protection With Other Eimeria...

[[http://www.nps.ars.usda.gov/locations/locations.htm?  
mo...](http://www.nps.ars.usda.gov/locations/locations.htm?mo...)]

similar results

fast :::

**Results Pages:** [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [[Next >>](#)][back to top](#)

[Scirus Toolbar](#) | [Subscribe to ScirusNews](#) | [Privacy Policy](#) | [Legal](#) | [Advertising Information](#) |  
[Add Scirus to Your Website](#)

[Powered by FAST](#) © Elsevier Science 2003

The Journal of Immunology, Vol 155, Issue 2 740-747, Copyright © 1995 by American Association of Immunologists

## ARTICLES

### Co-segregation of tumor immunogenicity with expression of inducible but not constitutive hsp70 in rat colon carcinomas

**A Menoret, Y Patry, C Burg and J Le Pendu**

INSERM Unit 419, Biology Institute, Nantes, France.

Recent results have shown the importance of heat-shock proteins (hsp) in immune reactions. In addition, immunization against hsp purified from some immunogenic tumors specifically protects animals from a challenge with the tumor from which the hsp were purified. The protection is dependent on the association between hsp and immunogenic peptides. Using a model of rat colon carcinoma, we studied the importance of hsp70 expression in determining the tumorigenicity of cancer cells in immunocompetent syngeneic animals. Various clones with distinct tumorigenic potentials have been derived from the same parental tumor. Some clones are tumorigenic and others are rejected through an immune-based mechanism. It was observed that among all parameters tested, immunogenicity of tumors co-segregated with expression of inducible hsp70 but not with constitutive hsc70. Variants were obtained from a highly tumorigenic clone (PROb) and from a regressive clone (REGb). The PROb variant (Ph8), selected by repeated sublethal heat shocks, showed an increased capacity for hsp70 synthesis concomitant with a decreased tumorigenicity. Inversely, the REGb variant (REGR73), selected after *in vivo* growth in partially immunosuppressed rats, acquired tumorigenicity and lost the ability to synthesize hsp70. Expression of other immunologic mediators such as intercellular adhesion molecule-1, MHC I, and MHC II did not co-segregate with tumor immunogenicity. Depletion experiments showed that the immunity elicited by these tumors involves TCR-alpha beta-bearing T cells. Such observations imply that, in this experimental model, inducible but not constitutive hsp70 is involved in immunogenicity of tumors.

- [Reprint \(PDF\) Version of this Article](#)
- [Similar articles found in:](#)
- [The JI](#)
- [PubMed](#)
- [PubMed Citation](#)
- [This Article has been cited by:](#)
- [other online articles](#)
- [Search Medline for articles by:](#)
- [Menoret, A. || Le Pendu, J.](#)
- [Alert me when:](#)
- [new articles cite this article](#)
- [Download to Citation Manager](#)

### This article has been cited by other articles:

blood

► [HOME](#)

H. Feng, Y. Zeng, M. W. Graner, and E. Katsanis  
**Stressed apoptotic tumor cells stimulate dendritic cells and**